9750					4-100		
QUERY CONTROL FORM				RTIS USE ONLY			
Application No.	09/ 844,675	Prepared by	NB	Tracking Number	05883869		
Examiner-GAU	Hegly-2874	Date	3116/04	Week Date	15104		
	יי	No. of queries		IPW			

JACKET					
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449		
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b		
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract		
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs		
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other		

SPECIFICATION	NEGOLOF
a. Page Missing	MESSAGE
b. Text Continuity	Claim 2 (was original claim 3) depends on a
c. Holes through Data	concelled original claim 2.
d. Other Missing Text	
e. Illegible Text	Please advise   correct chim dependency.
f. Duplicate Text	
g. Brief Description	
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	Thankyai
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	initials Anh
e. Index Disagrees	RESPONSE The dependency of Claim 2  (Driginal claim 3) was changed
f. Punctuation	(scialval claim 3) was charged
g. Amendments	to depend upon claim 1 by
h. Bracketing	IN FORMAL EXAMINER'S AMERICA HONT
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials Qu 14

3 (original). The module according to claim 2, wherein said inclined end surface of said first optical waveguide section and said inclined end surface of said second optical waveguide section are coplanar.

4 (original). The module according to claim 1, wherein said inclined end surface of said first optical waveguide section and said inclined end surface of said second optical waveguide section are coplanar.

5 (original). The module according to claim 4, wherein said inclined end surface of said first optical waveguide section and said inclined end surface of said second optical waveguide section each form an angle of esentially 45° with respect to the optical axis of said optical waveguide.

6 (cancelled). The module according to claim 1, comprising:

a first glass ferrule receiving said first optical waveguide section and having an end surface that is inclined to correspond to said inclined end surface of said first optical waveguide section, said first glass ferrule being transparent for the light of the plurality of the optical channels; and



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
WWW.uscio.gov

## Bib Data Sheet

**CONFIRMATION NO. 6394** 

SERIAL NUMBE 09/894,675	R	FILING DATE 06/28/2001 ULE	C	385	GRO	ROUP ART UNIT			ATTORNEY DOCKET NO. IT-273	
Volker Plicker CONTINUING D	ert, Bries PATA **** CATION LICATION	IS A CON OF PC	T/DE01/	'nc	001 /	రా				
Foreign Priority Claimed  35 USC 119 (a-d) conditions  Wes no Met after  Wallowappe North ISW  Acknowledged  Examinor's Signature Initials			(SW	STATE OR COUNTRY GERMANY	DRA	SHEETS TOT DRAWING CLAI 9 29		MS	INDEPENDENT CLAIMS 1	
ADDRESS LERNER AND GRI PATENT ATTORN Post Office Box 24 Hollywood ,FL 330	EYS ANI 80	DATTORNEYS A	T LAW							
TITLE  Electro-optical module for transmitting and/or receiving optical signals on at least two optical data channels										
RECEIVED No				All Fees  1.16 Fees (Filing)  1.17 Fees (Processing Ext. of time)  1.18 Fees (Issue)  Other  Credit						